


## Olympic F45G03A76

Lorenzo Truant



Fixture Type  
Project Name



### Description

Wall/ceiling lamp with bronze anodised aluminium structure and plastic material diffuser.

**Voltage**  
120V/24V

**Dimmable**  
0-10V

**Specs**  
 **DRY**

### Light source

LED 1x56W-120°  
3000K (2700K delivered)  
6000lm (3000 delivered lumens) Cri >90 Cri >90

### Notes

277V Available

### Included accessories

LED  
0-10V Dimmable electronic driver

### Weight Lamp


Net: 0 lb

### Packaging

Gross weight: 0 lb  
Volume: 0 ft<sup>3</sup>  
Number of boxes:




### Dimensions



### Material

Aluminium - Plastic

### Color

 Bronze

### Other colors available

Check online [www.fabbian.us](http://www.fabbian.us)

### In the same family















Pendant

Multiple  
pendant

# Olympic F45


## Other options

	code	electrification	technical info
	F45 G01 A 01 F45 G01 A 76	LED 120V/24V x45W-120° 3000K (2700K delivered) 4500lm (2250 delivered lumens) Cri >90 0-10V Dimming	 DRY
	F45 G02 A 01 F45 G02 A 76	LED 120V/24V 1x45W-120° 2700K (2400K delivered) 4500lm (2250 delivered lumens) Cri >90 0-10V Dimming	 DRY
			
	F45 G03 A 01 F45 G03 A 76	LED 120V/24V x56W-120° 3000K (2700K delivered) 6000lm (3000 delivered lumens) Cri >90 0-10V Dimming	 DRY
	F45 G04 A 01 F45 G04 A 76	LED 120V/24V x56W-120° 2700K (2400K delivered) 6000lm (3000 delivered lumens) Cri >90 0-10V Dimming	 DRY
			
	F45 G05 A 01	LED 120V/24V x76W-120° 3000K (2700K delivered) 8250lm (4125 delivered lumens) Cri >90 0-10V Dimming	 DRY
	F45 G06 A 01	LED 120V/24V x76W-120° 2700K (2400K delivered) 8250lm (4125 delivered lumens) Cri >90 0-10V Dimming	 DRY
			



**F45 G07 A 01**  
**F45 G07 A 76**

LED 120V/24V  
x98W-120°  
3000K (2700K delivered)  
10600lm (5300 delivered lumens) Cri >90  
0-10V Dimming



**F45 G08 A 01**  
**F45 G08 A 76**

LED 120V/24V  
1x98W-120°  
2700K (2400K delivered)  
10600lm (5300 delivered lumens) Cri >90  
0-10V Dimming

