

## Olympic

**F45G06A76**

Lorenzo Truant




Fixture Type

Project Name



### Dimensions



### Description

Wall/ceiling lamp with bronze anodised aluminium structure and plastic material diffuser.

### Voltage

120V/24V

### Dimmable

0-10V

### Specs



DRY

### Light source

LED 1x76W-120°  
2700K (2400K delivered)  
8250lm (4125 delivered lumens) Cri >90

### Material

Aluminium - Plastic

### Color

■ Bronze

### Other colors available

Check online [www.fabbian.us](http://www.fabbian.us)

### Notes

277V Available

### Included accessories

LED  
0-10V Dimmable electronic driver

### In the same family



Pendant

Multiple  
pendant

### Weight Lamp













Net: 0 lb

### Packaging

Gross weight: 0 lb  
Volume: 0 ft<sup>3</sup>  
Number of boxes:

# Olympic F45


## Other options

	code	electrification	technical info
	<b>F45 G01 A 01</b>	LED 120V/24V	 DRY
	<b>F45 G01 A 76</b>	x45W-120° 3000K (2700K delivered) 4500lm (2250 delivered lumens) Cri >90 0-10V Dimming	
	<b>F45 G02 A 01</b>	LED 120V/24V	 DRY
	<b>F45 G02 A 76</b>	1x45W-120° 2700K (2400K delivered) 4500lm (2250 delivered lumens) Cri >90 0-10V Dimming	
	<b>F45 G03 A 01</b>	LED 120V/24V	 DRY
	<b>F45 G03 A 76</b>	x56W-120° 3000K (2700K delivered) 6000lm (3000 delivered lumens) Cri >90 0-10V Dimming	
	<b>F45 G04 A 01</b>	LED 120V/24V	 DRY
	<b>F45 G04 A 76</b>	x56W-120° 2700K (2400K delivered) 6000lm (3000 delivered lumens) Cri >90 0-10V Dimming	
	<b>F45 G05 A 01</b>	LED 120V/24V	 DRY
	<b>F45 G05 A 76</b>	x76W-120° 3000K (2700K delivered) 8250lm (4125 delivered lumens) Cri >90 0-10V Dimming	
	<b>F45 G06 A 01</b>	LED 120V/24V	 DRY
	<b>F45 G06 A 76</b>	x76W-120° 3000K (2700K delivered) 8250lm (4125 delivered lumens) Cri >90 0-10V Dimming	



**F45 G07 A 01**  
**F45 G07 A 76**

LED 120V/24V  
x98W-120°  
3000K (2700K delivered)  
10600lm (5300 delivered lumens) Cri >90  
0-10V Dimming



**F45 G08 A 01**  
**F45 G08 A 76**

LED 120V/24V  
1x98W-120°  
2700K (2400K delivered)  
10600lm (5300 delivered lumens) Cri >90  
0-10V Dimming

